<u>Tests:</u> <u>Test Specifications Methods 1:</u>

RapidDecompression MIL-STD-810 Base, A, B, C, D, E, F,, G, (Method

500);

RTCA/DO-160 B, C, D, E, F, G (Section 4)

Immersion MIL-STD-810 Base, A, B, C, D, E, F, G (Method 512);

MIL-STD-202 E, F, G(Method 104;)

MIL-STD-1344A (through Notice 6) Method 1016)

Fluid Susceptibility MIL-STD-810 F, GH, Method 504);

RTCA/DO-160 B, C, D, E, F, G (Section 11)

Solar Radiatio/Sunshine MIL-STD-810 Base, A, B, C, D, E, F,, G, (Method

505)

Salt Fog/Spray MIL-STD-810 Base, A, B, C, D, E, F,, GH, (Method

509);

MIL-STD-1344A (through Notice 6), (Method 1001);

RTCA/DO-160 B, C, D, E, F, G (Section 14);

SAE/USCAR 24 (I0 Td 11.126.486 (, E)2.3 (, F)1.6 (, G)]TJ ET Q q 2

<sup>&</sup>lt;sup>1</sup>When the date, edition, version, etc. is not identified in the scope of accreditation, laboratories may use the version that immediately precedes the current version for a period of one year from the date of publication of the standard measurement met**pe**dpart C., Section 1 of A2LA R101General RequirementsAccreditation of ISGEC 17025 Laboratories

<sup>&</sup>lt;sup>2</sup> Also using customer specific test methods utilizing any combination of test equipment parameters listed above.

## Accredited Laboratory

A2LA has accredited

NTS LABS, LLC TEMPE Tempe, AZ

for technical competence in the field of

Mechanical Testing